

Appendix B, Table 1. Coformulated and Copackaged Antiretroviral Regimens

(Last updated June 3, 2021; last reviewed June 3, 2021) (Page 1 of 2)

The following table includes dose recommendations for Food and Drug Administration (FDA)-approved **coformulated and copackaged antiretroviral regimens**. Please see the class-specific drug characteristics tables (Appendix B, Tables [3](#), [4](#), [5](#), and [6](#)) for details about the individual drugs included in these products, including information on elimination and metabolic pathways, serum and intracellular half-lives, and adverse effects. The products in this table are listed by drug class and arranged **in alphabetical order** by trade name within each class.

Trade Name (Abbreviations)	ARV Drugs Included in the Regimen	Dosing Recommendation ^a
INSTI plus Two NRTIs		
Biktarvy (BIC/TAF/FTC)	Bictegravir 50 mg/tenofovir alafenamide 25 mg/emtricitabine 200 mg	One tablet PO once daily
Genvoya (EVG/c/TAF/FTC)	Elvitegravir 150 mg/cobicistat 150 mg/tenofovir alafenamide 10 mg/emtricitabine 200 mg	One tablet PO once daily with food
Stribild (EVG/c/TDF/FTC)	Elvitegravir 150 mg/cobicistat 150 mg/tenofovir disoproxil fumarate 300 mg/emtricitabine 200 mg	One tablet PO once daily with food
Triumeq (DTG/ABC/3TC)	Dolutegravir 50 mg/abacavir 600 mg/lamivudine 300 mg	One tablet PO once daily
INSTI plus One NRTI		
Dovato (DTG/3TC)	Dolutegravir 50 mg/lamivudine 300 mg	One tablet PO once daily
PI plus Two NRTIs		
Symtuza (DRV/c/TAF/FTC)	Darunavir 800 mg/cobicistat 150 mg/tenofovir alafenamide 10 mg/emtricitabine 200 mg	One tablet PO once daily with food
NNRTI plus Two NRTIs		
Atripla (EFV/TDF/FTC)	Efavirenz 600 mg/tenofovir disoproxil fumarate 300 mg/emtricitabine 200 mg	One tablet PO once daily on an empty stomach, preferably at bedtime
Complera (RPV/TDF/FTC)	Rilpivirine 25 mg/tenofovir disoproxil fumarate 300 mg/emtricitabine 200 mg	One tablet PO once daily with a meal
Delstrigo (DOR/TDF/3TC)	Doravirine 100 mg/tenofovir disoproxil fumarate 300 mg/lamivudine 300 mg	One tablet PO once daily

Appendix B, Table 1. Coformulated and Copackaged Antiretroviral Regimens
(Last updated June 3, 2021; last reviewed June 3, 2021) (Page 2 of 2)

Trade Name (Abbreviations)	ARV Drugs Included in the Regimen	Dosing Recommendation ^a
NNRTI plus Two NRTIs, continued		
Odefsey (RPV/TAF/FTC)	Rilpivirine 25 mg/tenofovir alafenamide 25 mg/emtricitabine 200 mg	One tablet PO once daily with a meal
Symfi (EFV/TDF/3TC)	Efavirenz 600 mg/tenofovir disoproxil fumarate 300 mg/lamivudine 300 mg	One tablet PO once daily on an empty stomach, preferably at bedtime
Symfi Lo (EFV/TDF/3TC)	Efavirenz 400 mg/tenofovir disoproxil fumarate 300 mg/lamivudine 300 mg	One tablet PO once daily on an empty stomach, preferably at bedtime
INSTI plus One NNRTI		
Cabenuva (CAB IM and RPV IM)	<p>Cabenuva 600 mg/900 mg kit contains:</p> <ul style="list-style-type: none"> CAB 600 mg/3 mL vial and RPV 900 mg/3 mL vial <p>Cabenuva 400 mg/600 mg kit contains:</p> <ul style="list-style-type: none"> CAB 400 mg/2mL vial and RPV 600 mg/2 mL vial 	<p>Lead-in with Oral CAB and RPV:</p> <ul style="list-style-type: none"> (CAB 30 mg and RPV 25 mg) PO once daily with a meal for 4 weeks <p>IM CAB and RPV:</p> <ul style="list-style-type: none"> Loading dose: CAB 600 mg/3 mL IM × 1 dose and RPV 900 mg/3 mL IM × 1 dose Continuation phase: CAB 400 mg/2 mL IM every 4 weeks and RPV 600 mg/2 mL IM every 4 weeks
Juluca (DTG/RPV)	Dolutegravir 50 mg/rilpivirine 25 mg	One tablet PO once daily with a meal

^a For dose adjustments in patients with renal or hepatic insufficiency, see [Appendix B, Table 11](#). When no food restriction is listed, the product can be taken with or without food.

Key: 3TC = lamivudine; ABC = abacavir; ARV = antiretroviral; BIC = bictegravir; CAB = cabotegravir; DOR = doravirine; DRV = darunavir; DRV/c = darunavir/cobicistat; DTG = dolutegravir; EFV = efavirenz; EVG = elvitegravir; EVG/c = elvitegravir/cobicistat; FTC = emtricitabine; IM = intramuscular; INSTI = integrase strand transfer inhibitor; NNRTI = non-nucleoside reverse transcriptase inhibitor; NRTI = nucleoside reverse transcriptase inhibitor; PI = protease inhibitor; PO = orally; RPV = rilpivirine; TAF = tenofovir alafenamide; TDF = tenofovir disoproxil fumarate