

Appendix A, Table 1. Antiretrovirals Available in Fixed-Dose Combination Tablets or as a Co-packaged Formulation, by Drug Class

Updated: June 27, 2024

Reviewed: June 27, 2024

Brand Name	NRTIs						NNRTIs			INSTIs				PIs			PK Enhancers	
	ABC	3TC	ZDV	FTC	TDF	TAF ^a	DOR	EFV	RPV ^b	BIC ^a	CAB ^b	DTG	EVG ^a	ATV	DRV	LPV ^c	COBI	RTV
NRTI																		
Cimduo		X			X													
Combivir		X	X															
Descovy				X		X												
Epzicom	X	X																
Temixys		X			X													
Truvada				X	X													
NRTI/NNRTI																		
Atripla				X	X			X										
Complera				X	X				X									
Delstrigo		X			X		X											
Odefsey				X		X			X									
Symfi or Symfi Lo		X			X			X										
NRTI/INSTI																		
Biktarvy				X		X				X								
Dovato		X										X						

Appendix A, Table 1. Antiretrovirals Available in Fixed-Dose Combination Tablets or as a Co-packaged Formulation, by Drug Class

Brand Name	NRTIs						NNRTIs			INSTIs				PIs			PK Enhancers	
	ABC	3TC	ZDV	FTC	TDF	TAF ^a	DOR	EFV	RPV ^b	BIC ^a	CAB ^b	DTG	EVG ^a	ATV	DRV	LPV ^c	COBI	RTV
Triumeq	X	X										X						
Triumeq PD	X	X										X						
NNRTI/INSTI																		
Juluca								X				X						
Cabenuva								X		X								
NRTI/INSTI/COBI																		
Genvoya				X		X							X				X	
Stribild				X	X								X				X	
NRTI/PI/COBI																		
Symtuza				X		X									X		X	
PI/COBI																		
Evotaz														X			X	
Prezcobix															X		X	
PI/RTV																		
Kaletra																X		X

^a TAF, BIC, and EVG are only available in FDC tablets. However, TAF 25 mg tablets (Vemlidy) are FDA approved for treatment of HBV. In select circumstances, TAF might be used as one component of a combination ARV regimen, with dosing recommendations similar to those for Descovy.

^b CAB and RPV for intramuscular injection are available as a co-packaged product (Cabenuva); oral formulations of CAB and RPV for initial lead-in dosing must be prescribed separately; see [Cabotegravir and Rilpivirine](#).

^c LPV is only available in FDC tablets or solution.

Key: 3TC = lamivudine; ABC = abacavir; ARV = antiretroviral; ATV = atazanavir; BIC = bicitegravir; CAB = cabotegravir; COBI = cobicistat; DOR = doravirine; DRV = darunavir; DTG = dolutegravir; EFV = efavirenz; EVG = elvitegravir; FDA = U.S. Food and Drug Administration; FDC = fixed-dose combination; FTC = emtricitabine; HBV = hepatitis B virus;

Appendix A, Table 1. Antiretrovirals Available in Fixed-Dose Combination Tablets or as a Co-packaged Formulation, by Drug Class

INSTI = integrase strand transfer inhibitor; LPV = lopinavir; NNRTI = non-nucleoside reverse transcriptase inhibitor; NRTI = nucleoside and nucleotide reverse transcriptase inhibitor; PI = protease inhibitor; PK = pharmacokinetic; RPV = rilpivirine; RTV = ritonavir; TAF = tenofovir alafenamide; TDF = tenofovir disoproxil fumarate; ZDV = zidovudine