

APPENDIX B: ACRONYMS

Updated: June 25, 2026

Reviewed: June 25, 2026

Study and Trial Names

Acronym	Name
ACTG	AIDS Clinical Trials Group
AMP	Adolescent Master Protocol
ANRS	National Agency for AIDS Research (France)
ARROW	AntiRetroviral Research fOr Watoto
ATHENA	AIDS Therapy Evaluation in the Netherlands
ATLAS	Antiretroviral Therapy as Long-Acting Suppression
BAN	Breastfeeding, Antiretrovirals, and Nutrition
BRIGHTE	A Multi-arm, Phase 3, Randomized, Placebo Controlled, Double Blind Clinical Trial to Investigate the Efficacy and Safety of Fostemsavir (BMS-663068/GSK3684934) in Heavily Treatment Experienced Subjects Infected With Multi-drug Resistant HIV-1
CALIBRATE	Study to Evaluate the Safety and Efficacy of Lenacapavir (GS-6207) in Combination With Other Antiretroviral Agents in People Living With HIV
CAPELLA	A Phase 2/3 Study to Evaluate the Safety and Efficacy of Long-Acting Capsid Inhibitor GS-6207 in Combination With an Optimized Background Regimen in Heavily Treatment Experienced People Living With HIV-1 Infection With Multidrug Resistance
CHAPAS	Children with HIV in Africa—Pharmacokinetics and Acceptability of Simple second-line antiretroviral regimens
CHER	Children with HIV Early Antiretroviral Therapy
D ² EFT	Dolutegravir and Darunavir Evaluation in Adults Failing Therapy
DolPHIN-2	Dolutegravir in Pregnant HIV Mothers and Their Neonates
DRIVE-AHEAD	Comparison of Doravirine, Tenofovir, Lamivudine (MK-1439A) and ATRIPLA™ in Treatment-Naive Human Immunodeficiency Virus Type 1 (HIV-1)-Infected Participants
DRIVE-FORWARD	Safety and Efficacy of Doravirine (MK-1439) in Participants With Human Immunodeficiency Virus 1 (HIV-1)
DRIVE-SHIFT	Safety and Efficacy of a Switch to Doravirine, Tenofovir, Lamivudine (MK-1439A) in Human Immunodeficiency Virus (HIV-1)-Infected Participants Virologically Suppressed on an Anti-retroviral Regimen in Combination With Two Nucleoside Reverse Transcriptase Inhibitors
ECHO	Evidence for Contraceptive Options and HIV Outcomes
ENCORE	Evaluation of Novel Concepts in Optimization of antiRetroviral Efficacy
EPIICAL	Early-treated Perinatally HIV-infected Individuals: Improving Children's Actual Life with Novel Immunotherapeutic Strategies

EPPICC	European Pregnancy and Paediatric Infections Cohort Collaboration
FLAIR	First Long-Acting Injectable Regimen
GEMINI-1 and GEMINI-2	Efficacy, Safety, and Tolerability Study Comparing Dolutegravir Plus Lamivudine With Dolutegravir Plus Tenofovir/Emtricitabine in Treatment naive HIV Infected Subjects
HPTN	HIV Prevention Trials Network
IeDEA-SA	International Epidemiology Databases to Evaluate AIDS Southern Africa
IMPAACT	International Maternal Pediatric Adolescent AIDS Clinical Trials
LATITUDE	Long-Acting Therapy to Improve Treatment Success in Daily Life
MOCHA	More Options for Children and Adolescents
NADIA	Nucleosides And Darunavir/Dolutegravir in Africa
NEVEREST	Nevirapine Resistance Study
ODYSSEY	Once-daily DTG based ART in Young people vs. Standard thErapY
OPERA	Observational Pharmaco-Epidemiology Research & Analysis Database
PACTG	Pediatric AIDS Clinical Trials Group
PAINT	Pediatric Study in Adolescents Investigating a New NNRTI TMC278
PENTA	Paediatric European Network for Treatment of AIDS
PEPI-Malawi	Post-Exposure Prophylaxis of Infant–Malawi Study
PETITE	Pharmacokinetics and safety of Dolutegravir in neonates
PHACS	Pediatric HIV/AIDS Cohort Study
PIANO	Paediatric study of Intelence As an NNRTI Option
PREDICT	Early Versus Deferred Antiretroviral Therapy for Children Older Than 1 Year Infected with HIV
PROMISE	Promoting Maternal and Infant Survival Everywhere Study
PURPOSE-1	Pre-Exposure Prophylaxis Study of Lenacapavir and Emtricitabine/ Tenofovir Alafenamide in Adolescent Girls and Young Women at Risk of HIV Infection
PURPOSE-2	Study of Lenacapavir for HIV Pre-Exposure Prophylaxis in People Who Are at Risk for HIV Infection
SALSA	Regimen Switch to Dolutegravir/Lamivudine Fixed Dose Combination From Current Antiretroviral Regimen in HIV-1 Infected and Virologically Suppressed Adults
SMILE	Strategy for Maintenance of HIV Suppression with Once Daily Integrase Inhibitor+Darunavir/Ritonavir in Children
SOLAR-1	Study Assessing the Efficacy and Safety of Alpelisib Plus Fulvestrant in Men and Postmenopausal Women With Advanced Breast Cancer Which Progressed on or After Aromatase Inhibitor Treatment
START	Strategic Timing of AntiRetroviral Treatment
SWEN	Six Week Extended-Dose Nevirapine Study

SWORD-1 and SWORD-2	Regimen Switch to Dolutegravir + Rilpivirine from Current Antiretroviral Regimen in Human Immunodeficiency Virus Type 1 Infected and Virologically Suppressed Adults
TANGO	Switch Study to Evaluate Dolutegravir Plus Lamivudine in Virologically Suppressed Human Immunodeficiency Virus Type 1 Positive Adults
THRIVE	TMC278 against HIV, in a once-daily Regimen Versus Efavirenz